

PIONEERING THE WORLD OF TESTING TECHNOLOGY

Atestifiire

Heat 1

As the world's only ISO 9001 Approved Manufacturer of detector testing products we can offer you an unrivalled choice of solutions to meet your specific needs.

We work in partnership with all the leading detector manufacturers to ensure that our products are compatible and safe to use with the widest range of detectors across the world.

As well as the endorsement of detector manufacturers, core products are UL certified and all products support safe and efficient functional testing - compliant with industry codes and standards.





ALL THE EXPERIENCE TO HELP FIND YOUR RIGHT SOLUTION



100+ Staff

Staff working in the UK, Europe & the Middle East.



Global Leader

No. I in the fire detection test equipment market.



20 Years of Solo

Solo is the industry's most popular range of detector test equipment.



130 Countries

Products distributed to 130+ countries and counting.



Partnerships

Approved by leading detector manufacturers and third parties.

No Climb Products Ltd

Edison House 163 Dixons Hill Road Welham Green, Hertfordshire AL9 7JE, United Kingdom

Phone

Tel: +44 (0) 1707 282760

Online

Email: sales@detectortesters.com
Email: marketing@detectortesters.com
Email: support@detectortesters.com
Website: www.detectortesters.com

Connect with us











YOUR TESTIFIRE SOLUTIONS

Choosing the right Testifire solution for you couldn't be easier.

Step 1

Do you mainly test smoke and heat, or do you test smoke, heat & CO?





Accessories

Testifire uses non-hazardous, non-pressurised, environmentally-friendly capsules to generate smoke and CO. To make sure you do not run out of capsules, the following capsule replacement packs are available:

Smoke Capsules	
Replacement Smoke Capsule	TS3-6PACK-001
Replacement Smoke Capsule	TS3-3PACK-001
CO Capsules	_
Replacement CO Capsule	TC3-6PACK-001
Replacement CO Capsule	TC3-3PACK-001

HOW HIGH ARE YOU TESTING?

Step 2

Do you require an access pole for your Testifire?





4 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 100-001

Specification

Test up to 6 metres (including height of user) 4.5m extended pole length



Collapsed length: 1.3m

NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 9 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m SOLO 101-001

*A maximum of 3 x Solo 101 extension poles is advised.



Collapsed

length:



2 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 108-001

Specification

Test up to 4 metres (including height of user) 2.2m extended pole length



NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 7 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m **SOLO 101-001**

*A maximum of 3 x Solo 101 extension poles is advised.



To keep your Testifire and poles protected, add the Solo 610 protective carrying and storage bag.

Accessories

Protective Storage & Pole Bag

SOLO 610-001





URBAN BACKPACK & POLES KIT

SOLO 613-001

Includes

1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag





Step 3

Alternatively, choose from one of our all encompassing test kits.

URBAN SMOKE / HEAT TEST KIT

URBAN 1001-1-001

Includes

Testifire 1001-1-001 Smoke / Heat Test Kit 1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag



URBAN SMOKE / HEAT / CO TEST KIT

URBAN 2001-1-001

Includes

Testifire 2001-1-001 Smoke / Heat / CO Test Kit 1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag



Testing up to 5 metres (including height of user)

sales@detectortesters.com

TEST & MAINTENANCE KITS

Our Test & Maintenance Kits are solutions that bundle all the products you might need in one kit, including a removal tool for detectors.

TESTIFIRE SMOKE / **HEAT TEST KIT**

TESTIFIRE 6001-001

Includes

Testifire 1001-001 Smoke / Heat Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 6 metres (including height of user)





TESTIFIRE SMOKE / **HEAT / TEST KIT**

TESTIFIRE 9001-001

Includes

Testifire 1001-001 Smoke / Heat Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag

Reach





Testing up to 9 metres (including height of user)

TESTIFIRE SMOKE / HEAT / CO TEST KIT

TESTIFIRE 6201-001

Includes

Testifire 2001-001 Smoke / Heat / CO Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool

Solo 610-001 Protective Storage Bag







Testing up to 6 metres (including height of user)



TESTIFIRE SMOKE / **HEAT / CO TEST KIT**

TESTIFIRE 9201-001

Includes

Testifire 2001-001 Smoke / Heat / CO Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 9 metres (including height of user)





INDUSTRY LEADING TEST EQUIPMENT

For over 20 years, Solo has been the industry's most popular range of detector test equipment. Used and approved worldwide, the comprehensive Solo range allows you to choose the right solution for your needs.

Solo 365 is the latest addition to the Solo range. Similar to Testifire, Solo 365 uses non-hazardous, non-pressurised, environmentally-friendly cartridges to generate smoke. Smoke testing has never been this easy.

A proximity sensor allows automatic generation of smoke as the detector enters the cup. Repeat alarms are all but eliminated with the clearing mode – with remaining smoke cleared away from the detector after testing.



YOUR SOLO SOLUTIONS

Step 1

What do you need, a smoke tester, or a heat tester?








SOLO 365 ASD ADAPTOR

SOLO 372-001

If you are testing ASD systems, the Solo372-001 is the accessory for you. It is an adapter for your Solo 365 that's easily fitted to allow functional testing of ASD systems.







Accessories

To make sure you do not run out of cartridges, the following replacement packs are available:



Smoke Cartridges

Replacement Solo 365 Smoke Cartridges

ES3-12PACK-001

DISPENSERS & **AEROSOLS**

The most widely used system for the last 20 years. The dispenser is available in two sizes:

Solo™ detectorista

SOLO 330-001

SOLO 330





AEROSOL DISPENSER

SOLO 332-001

The Solo 332 is ideal for detectors with a larger diameter thanks to its increased cup size.

You will need one of our detector manufacturer approved smoke aerosols for your Solo 330/332 dispensers. You have two types of smoke aerosol:





You can test CO detectors with our Solo 330/332 dispenser. To do this you need:





If a cordless heat tester is not suitable for you, we offer two different Solo mains-powered heat detector testers:





SOLO 423 110/120V HEAT TESTER

SOLO 423-001

Specification

Solo 423-001 Mains Heat Head Unit Supplied with 5m / 16ft cable









SOLO 424-001

Specification

Solo 424-001 Mains Heat Head Unit Supplied with 5m / 16ft cable



For extra reach, Solo 425-001 is a 5m additional extension cable.

Accessories

5m Additional Cable

SOLO 425-001





UNIVERSAL REMOVAL TOOL

SOLO 200-001

A vast array of fire detectors now exist - consisting of different models, shapes and sizes.

The Solo 200 detector removal tool is designed for universal use to meet the challenge of removing and installing these different detectors.

The colour coded heads of the Solo 200 rotate to provide a combination of sizes and settings to suit the different detectors.

HOW HIGH ARE YOU TESTING?



Do you require an access pole for your Solo head unit?

6M Reach



4 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 100-001

Specification

Test up to 6 metres (including height of user) 4.5m extended pole length



Collapsed length: 1.3m

NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 9 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m SOLO 101-001

*A maximum of 3 x Solo 101 extension poles is advised.



2 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 108-001

Specification

Test up to 4 metres (including height of user) 2.2m extended pole length



NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 7 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m **SOLO 101-001**

*A maximum of 3 x Solo 101 extension poles is advised.



4M

Reach

Collapsed

length: 1.3m

> To keep your Testifire and poles protected, add the Solo 610 protective carrying and storage bag.

Accessories

Protective Storage & Pole Bag

SOLO 610-001



URBAN KITS FOR ENGINEERS ON THE GO

URBAN SMOKE TEST KIT

URBAN 365-001

Includes

Solo 365 Smoke Test Kit 1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag



Testing up to 5 metres (including height of user)



TEST & MAINTENANCE KITS

Step 3

Alternatively, choose from one of our all encompassing Solo test kits.

SOLO ELECTRONIC SMOKE TEST & REMOVAL KIT

SOLO 911-001

Includes

Solo 365-001 Smoke Detector Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool

Solo 610-001 Protective Storage Bag





Testing up to 6 metres (including height of user)



SOLO ELECTRONIC SMOKE TEST & REMOVAL KIT

SOLO 900-001

Includes

Solo 365-001 Smoke Detector Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 9 metres (including height of user)



SOLO SMOKE TEST & REMOVAL KIT

SOLO 811-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 I50ml Smoke Aerosol Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 6 metres (including height of user)



SOLO SMOKE TEST & REMOVAL KIT

SOLO 812-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 I50ml Smoke Aerosol Solo 100-001 4.5m 4-Section Telescopic Pole 2 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 8.2 metres (including height of user)



ALL PURPOSE SOLO KITS

Our range of Testifire kits are the most practical solutions from ensuring you have a solution for testing smoke, heat and CO.

However, if Solo is your preferred solution we recommend the following kits:

SOLO SMOKE / HEAT / CO TEST & REMOVAL KIT

SOLO 822-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 I50ml Smoke Aerosol Solo 461-001 Cordless Heat Detector Tester Solo 100-001 4.5m 4-Section Telescopic Pole

Solo 200-001 Detector Removal Tool

Solo 610-001 Protective Storage Bag







Testing up to 6 metres (including height of user)





SOLO SMOKE / HEAT / CO TEST & REMOVAL KIT

SOLO 823-001

Includes

Solo 330-001 Aerosol Dispenser

Solo A10-001 I50ml Smoke Aerosol

Solo 461-001 Cordless Heat Detector Tester

Solo 100-001 4.5m 4-Section Telescopic Pole

3 x Solo 101-001 1.13m Extension Pole

Solo 200-001 Detector Removal Tool

Solo 610-001 Protective Storage Bag









Testing up to 9 metres (including height of user)





SMOKESABRE HAND-HELD AEROSOL

SMOKESABRE-01-001

The ultimate hand-held smoke detector tester.

The built in 'Sabre' makes the product unique compared to other hand-held smoke test sprays - preventing use too close to the detector, that could lead to damage and nuisance alarms.

SmokeSabre is the ideal back-up for your complete test and maintenance kit or perfect as a test solution for small jobs or infrequent testing.





Supplied in boxes of 12





PERFECT FOR **SMALLER JOBS**



TESTING HARD-TO-ACCESS SMOKE DETECTORS?

Scorpion is the solution for buildings with hard-to-access detectors. Suitable for both Point and Aspirating Smoke Detection (ASD) systems, Scorpion ensures all smoke detectors can be tested – regardless of location.

Detectors in hard-to-access locations still need to be tested, and this can take not only additional time, but incur additional costs and personnel downtime. Scorpion suits a wide range of applications.



SOLUTIONS FOR TESTING POINT & ASD SYSTEMS



SCORPION POINT SMOKE DETECTOR TESTER

SCORP 1011-001

The Scorpion head unit is permanently installed alongside the smoke detector.

Includes

I x Scorp 1001-001 Point Head Unit & Mounting Bracket I x Scorp 25-001 Access Point





SCORP 2011-001

The Scorpion head unit is permanently mounted adjacent to a sampling point on an ASD system pipe - typically at the end of the run. Just one head unit is required for each pipe run regardless of the number of sampling points.



SCORP 7000-001

Portable controller connects to a Scorpion Access Point to enable smoke generation and testing.

Powered via a Solo 770 Battery Baton.*

*Available separately



SPARES

A range of spares are available for each of our product ranges.

Testifire	
Testifire USB Cable	SPARE 047-00
Testifire Inner Cup	SPARE 048-00
Testifire Membrane Bellows	SPARE 1049-001
Battery Baton (3Ah)	Solo 770-00 l
220/240v Charger for Solo770 (will NOT charge SOLO760)	Solo 727-00 l

Solo 365	
Solo 365 Battery Pack	Solo370-1PACK-001
Solo 365 Battery Pack	Solo370-4PACK-001
Solo 365 Smoke Generator	Solo371-1PACK-001
Solo 365 Cup & Membrane	SPARE1058-001
Solo 365 Membrane	SPARE1059-001
Solo 365 Universal Charger/USB Cable	SPARE1060-001
Field Service Pack (Solo 371 Smoke Generator x 1, Solo 370 Lithium Ion Battery Pack x 1, SPARE 1058-001 Cup & Membrane x 1)	SERVICE360-001

Solo 330/332	
Aerosol Retaining Cup	SPARE1028-001
Silicone Membrane for Test Cup	SPARE1005-001

Solo 461	
Battery Baton (3Ah)	Solo 770-00 l
220/240v Charger for Solo770 (will NOT charge Solo760)	Solo 727-00 l
Silicone Membrane for Test Cup	SPARE 1005-001

Solo 200	
Solo 200 pair of transparent grips	SPARE1002-001

Scorpion	
Battery Cable	SCORP60-001
Scorpion Control Panel (Multiple Heads)	SCORP8000-001

INDEX

All Purpose Solo Test Kits	18	Solo Test Kits Solo 461 Heat Test Kit	13,16,17,18 13	Smoke T
Scorpion	20,21	Urban Solo 365 Test Kit	16	Solo 330
Scorpion Point Tester	21	Solo Smoke & Removal Kits	17	Solo 332
Scorpion ASD Tester	21	Solo Smoke, Heat & CO Kits	18	Solo A10
Scorpion Portable Controller	21	5010 5111011 5 , 115 11 1 51 51 1115		Solo A5
Scorpion Spares	22	Spares	22	Solo 365
		- F		Testifire
SmokeSabre	19	Testifire	4,5, 8,9,22	Scorpion
		Testifire 1000	5, 8,9,22	SmokeSal
Solo Access Poles	6, 7,8,9, 15, 16,17,18	Testifire 2000	5, 8,9,22	
Solo 100 4-Section Telescopic	6 ,9, 15, 17,18			Heat Tes
Solo 101 Extension Pole	6,15	Testifire Test Kits	8,9	Solo 46 I
Solo 108 2-Section Telescopic	6,15	Urban Testifire Kits	8	Solo 423
		Testifire Test & Maintenance Kits	9	Solo 424
Solo Aerosols	12, 17			Testifire
Solo A10	12, 17,18	Testifire Spares & Accessories	5,22	
Solo A10S	12	Testifire Smoke Capsules	5	CO Testi
Solo A5	12	Testifire CO Capsules	5	Solo 330
Solo C3	12	Testifire Spares	22	Solo 332
				Solo C3
Solo Head Units	9,11,13,14,16,17,18,22	Urban kits	7, 8,16	Testifire 2
Solo 200 Removal Tool	9, 14, 17,18,22	Solo 613 Backpack & Poles Kit	7	
Solo 330 Dispenser	12, 17,18,22	Urban 365 Smoke Test Kit	16	Multi-Se
Solo 332 Dispenser	I 2, 22	Urban Testifire Smoke/Heat		Testifire
Solo 365 Smoke Tester	11, 16,17,22	Test Kit	8	
Solo 423 Mains Heat Tester	14	Urban Testifire Smoke/Heat/CO		ASD Sys
Solo 424 Mains Heat Tester	14	Test Kit	8	Scorpion
Solo 461 Cordless Heat Tester	13, 18,22			Solo 365
Solo Spares & Accessories				Detector
Solo 365 Smoke Cartridges	H			Solo 200
Solo 372 ASD Adaptor	H			
Solo 610 Protective Bag	6, 9, 15, 17,18			Hard-To-
5m Additional Cable	14			Scorpion

BY APPLICATION

Smoke Testing	4,5,8,9,11,12,13, 16,17,18,19,20,21
Solo 330 Dispenser	12, 17,18,22
Solo 332 Dispenser	12, 22
Solo A10	12, 17,18
Solo A5	12
Solo 365	11, 16,17,22
Testifire	4,5, 8,9,22
Scorpion	20,21
SmokeSabre	19
Heat Testing	4,5,8,9,13,14,18,22
Solo 46 I	13, 18,22
Solo 423	14
Solo 424	14
Testifire	4,5, 8,9,22
CO Testing	5,12,17,18,22
Solo 330 Dispenser	12, 17,18,22
Solo 332 Dispenser	1 2, 22
Solo C3	12
Testifire 2000	5
Multi-Sensor Testing Testifire	4,5,8,9,22 4,5, 8,9,22
ASD System Testing	11,16,17,20,21,22
Scorpion ASD	21
Solo 365	П
Detector Removal	9,14,17,18,22
Solo 200	9, 14, 17,18,22
Hard-To-Access	20,21
Scorpion	20, 21, 22



No Climb Products Ltd

Edison House, 163 Dixons Hill Road, Welham Green, Hertfordshire, AL9 7JE, United Kingdom

Tel: +44 (0) 1707 282 760 info@detectortesters.com www.detectortesters.com















As our policy is one of continuous improvement, details of products described within this publication are subject to change without notice. All information provided here is believed to be correct at the time of going to press. Every effort has been made to ensure the accuracy of information which is provided in good faith but nothing contained herein is intended to incorporate any representation or warranty, either express or implied or to form the basis of any legal relations between the parties hereto, additional to or in lieu of such as may be applicable to a contract of sale or purchase.