

White Kit (also available in Stainless Steel)

# Emergency Assistance/ Toilet Alarm for EVC

Compliant to BS8300-2:2018

The Baldwin Boxall white plastic toilet alarm kit is a fully compliant BS8300:2018 system for the OmniCare and CARE2 EVC systems.

Additional components can be added to the system to provide an 'assistance call' style system.

## THE EMERGENCY ASSISTANCE/ TOILET ALARM KIT:

#### **Each Kit Contains:**

- Pull switch white ceiling mounted pull switch (with two fully compliant 'G' pulls).
- Reset point white reset button with powerful LED and sounder.
- Light/sounder white overdoor triangular lens with integral sounder to attract attention.
- WC sign self adhesive, vinyl, disabled toilet sign.

## **General Product Information:**

- Call acknowledge feature both audible and visual when a call is accepted; reassuring the caller that help is on the way.
- Up to two toilet alarm kits can be connected to one point on the EVC control panel.
- Toilet alarms are monitored and battery-backed via the EVC system. There is also an automatic 'self test' facility which ensures that all sounders and LEDs are fully operational.
- The kit is available with either a white or stainless steel finish. Alternatively, the parts can be purchased separately to enable a combination of finishes to be applied if required.
- The kits are connected to the EVC system as follows:
  - OmniCare via a repeater unit (BVOCRIF) on the loop.
  - CARE2 directly to the control console.

The OmniCare System

The CARE2 System

## **OTHER PRODUCTS AVAILABLE:**

### IP65 Emergency Assistance/Toilet Alarm Products:

- Surface mounting with a grey finish.
- There are four products in the range:
  - Pull cord.
  - Call button.
  - Reset button.
  - Call button and reset button.
- The units can be fitted in combination with any of our DTAKIT products..

#### Assistance Call - DTAKIT Call/Reset Point Options:

- Additional call, reset or call & reset points can be added to the DTAKIT & DTASKIT\*.
- Each 'call point', 'reset point' or 'call/reset point' is available in either a white or stainless steel finish providing amazing flexibility and choice.
- As a minimum each 'call zone' must comprise of an overdoor light, a call point and a reset point (or an overdoor light and a call/reset point).
- Any number of call and reset points can be added to a single overdoor light\*. (Only one overdoor light can be included per call zone).

Adding additional components to the DTAKIT may result in non-compliance to BS8300:2018. We recommend referral to
the Standard for clarification. Dependent upon system layout, some components may be unmonitored.

4-Way Assistance Alarm Control Panel: The DTAKITs can also be used with our 4-way control panel.




Specifications:	Alarm Type	Product Code White (plastic) (W)	IP65 - Light Grey (plastic) (RAL 7035)	Dimensions mm WxHxD	Backbox Required (not supplied)
FULL KIT (W) (inc. ceiling pull DTACP, overdoor light DTAODL, reset point DTARP & WC self- adhesive door sign DTALAB)	90db (a) 30cm	DTAKIT		n/a	
Ceiling pull (W)		DTACP		30x80 diameter	Supplied with surface mount enclosure
Overdoor light (W)		DTAODL		85x85x58	25mm deep single gang flush backbox or 'round cornered' surface box
Reset point (W)		DTARP		85x85x13	
WC self-adhesive door sign (blue)		DT	ALAB	108x108	
ASSISTANCE CALL OPTIONS					
Call button (W)	90db (a) 30cm	DTACB		85x85x13	25mm deep single gang flush backbox or 'round cornered' surface box
Call & reset (W)		DTACBRP		85x85x13	
Call point, red cord, wall mount (W)		DTACPW		85x85x13	
Call button & 6.35mm jack socket (W)		DTACBJ		85x85x13	
IP65 Options					
Ceiling pull (IP65)	n/a -		DTACPM	80x80x60	n/a
Call button (IP65)			DTACBM	80x80x60	
Reset button (IP65)			DTARPM	80x80x60	
Call & reset (IP65)			DTACBRPM	80x80x60	

#### Please Note:

Emergency assistance/toilet alarm provides a visual and audible alert at the main console. Speech communication is only possible with OmniCare Refuge/DTAODLR solution. Please refer to separate leaflet.

Stainless steel products are not intended for installation in humid areas - consider the IP65 products for wet rooms, etc.

# **Download Cabling Information**





#### Baldwin Boxall Communications Ltd

Wealden Industrial Estate, Farningham Road, Crowborough, East Sussex, TN6 2JR, United Kingdom T: +44 (0) 1892 664422

E: hello@baldwinboxall.co.uk